

# B-SCAN 16HR-FB

Transmission X-ray people screening system

## Feature Highlights

- Detects objects concealed internally in or externally on the body.
- Contraband and threat detection including: weapons, explosives (plastic and powder), detonators, narcotics, electronic devices, diamonds, precious stones/metals and mobile phones.
- High throughput - scan time less than 7 seconds
- Complete head to toe inspection in one short inspection cycle, even if shoes are worn with very low dose rates.
- State of the art image processing software and zoom functions facilitates efficient image evaluation.
- Low dose rate  $<2.0\mu\text{Sv}/\text{inspection}$



The **B-SCAN** series provides a security solution for people screening, enabling the detection of objects and threats concealed internally or externally on the body. **B-SCAN** helps to reduce the smuggling of drugs, guns, knives, cell phones and other contraband. B-SCAN utilizes fixed components, resulting in a reliable and easy to maintain system, with low lifetime of ownership costs.

There are currently more than 250 **B-SCAN** systems deployed around the world, in a variety of applications, such as prisons, airports and customs checkpoints. Other applications include mines and refineries, helping to reduce incidents of diamond, gem and precious metal thefts amongst employees.

**B-SCAN 16HR-FB** – Provides a full-body X-ray image, in excellent quality at  $2.0\mu\text{Sv}$  per inspection (~125 scans/year). This model is ideally suited for higher security inmate screening. Independently verified to meet the ANSI guidelines.

# Technical Information B-SCAN 16HR-FB

## Function

- Material Detected Includes Metal, ceramic, plastics, powders, explosives, narcotics
- Detection Capability Objects hidden internally and externally on the body
- Type of Scan Full body scan in one inspection pass
- Primary Function Screen people for contraband and threats
- Wire Detectability standard: 36 AWG (0.13 mm) ● typical: 38 AWG (0.10 mm)
- Technology Low dose transmission x-ray

## Operational Data

- Physical Format Open tunnel - In line with checkpoint flow
- Start Up Time <2 minutes
- Belt Speed Approx. 0.12 m/s
- Scan Method Person moved through the beam
- Scan Time < 7 seconds
- Alarm Resolution Single image review
- Conveyor Load Capacity >220 kg (485 lbs.)

## Installation Information

- Dimensions approx. 2585 (L) x 2525 (H) x 1955 (W) [mm] (101.8" x 99.4" x 76.9")
- Weight 820kg (1808 lbs.)
- Humidity 10% - 90% (non condensing)
- Storage Temperature -20°C to 60°C (-4°F to 140°F)
- Operating Temperature 0°C to 40°C (32°F to 104°F)
- Power Consumption < 0.9 kVA
- Mechanical Construction Metal body (aluminum, steel)
- Sound Pressure < 70 dB (A)
- Power Supply (standard) 230 VAC / 120 VAC +10% / -15% 50 Hz / 60 Hz

## Image Generation

- Generator Cooling Oil cooled, closed circuit
- Scan Format Fan beam line scan
- Generator 160kV cp, Hermetically sealed oil bath.
- X-ray Converter High resolution semiconductor detector lines
- Dose Per Inspection < 2.0 µSv (<0.20 mRem)\*
- Duty Cycle 100%

## Image Presentation

- Result Presentation Post scan still image - Full body image
- Grey Levels Stored 65536
- Image Display b/w
- Image Evaluation Functions zoom, various enhancement and filter functions
- Monitor special colour TFT monitor

## Options / Features

Scan and Image Management system (SIM), Configurations include:

- Stand alone
- Networked with central data and image storage
- Connected to customer database

Operator's table  
Side wall / side wall with window  
Can be configured with image store and load capability  
Programmable function keys  
Remote operator privacy solution  
Software for instantaneous offsite independent image assessment

Measured in the center of the tunnel

All applicable national regulations, requirements and approvals need to be considered and addressed by the customer  
All models of B-SCAN have been independently tested against the ANSI/HPS N43.17-2009 guideline



**POINT SECURITY INC.**  
FIRST IN SECURITY SCREENING

[www.pointsecurityinc.com](http://www.pointsecurityinc.com)

Point Security, Inc.  
5815 NC Hwy 8 South  
Lexington, NC 27292